





Authors

Prof Željko Pedišić, PhD,* Institute for Health and Sport, Victoria University, Melbourne, Australia

Prof Pasi Koski, PhD, Faculty of Education, University of Turku, Rauma, Finland

A/Prof Sami Kokko, PhD, Faculty of Sport and Health Sciences, University of Jyväskylä, Jyväskylä, Finland

Pekka Oja, PhD, UKK Institute for Health Promotion Research, Tampere, Finland

Jorma Savola, Lappajärven Veikot ry, Lappajärvi, Finland

Aoife Lane, PhD, SHE Research Group, Department of Sport and Health Sciences, Athlone Institute of Technology, Athlone, Ireland

Prof Herbert Hartmann, PhD, German Gymnastic Federation, Frankfurt, Germany

A/Prof Susanna Geidne, PhD, School of Health Sciences, Örebro University, Örebro, Sweden

A/Prof Marija Rakovac, PhD, Faculty of Kinesiology, University of Zagreb, Zagreb, Croatia

Matleena Livson, PhD, Finnish Olympic Committee, Helsinki, Finland

Jan Bělka, PhD, Faculty of Physical Culture, Palacký University Olomouc, Olomouc, Czech Republic

Saška Benedičić Tomat, International Sport and Culture Association (ISCA), Copenhagen, Denmark

Lovisa Broms, European Non-Governmental Sports Organisation (ENGSO Youth), Stockholm. Sweden

Si-Tong Chen, Institute for Health and Sport, Victoria University, Melbourne, Australia

Guy De Grauwe, European Federation for Company Sport (EFCS), Paris, France

Sowannry Em, Institute of Human Movement Science, Sport and Health, University of Graz, Graz, Austria Pavel Háp, PhD, Faculty of Physical Culture, Palacký University Olomouc, Olomouc, Czech Republic

Prof Stjepan Heimer, PhD, Croatian Society of Sports Medicine, Croatian Medical Association, Zagreb, Croatia

Michal Kudláček, PhD, Faculty of Physical Culture, Palacký University Olomouc, Olomouc, Czech Republic

Tena Matolić, Faculty of Kinesiology, University of Zagreb, Zagreb, Croatia

Aamir Raoof Memon, Institute of Physiotherapy & Rehabilitation Sciences, Peoples University of Medical & Health Sciences for Women, Nawabshah (Shaheed Benazirabad), Pakistan

Prof Dušan Mitić, PhD, Faculty of Sport and Physical Education, University of Belgrade, Belgrade, Serbia

A/Prof Hrvoje Podnar, PhD, Faculty of Kinesiology, University of Zagreb, Zagreb, Croatia

Colin Regan, Community & Health Manager, Gaelic Athletic Association, Ireland

Monika Rešetar, International Sport and Culture Association (ISCA), Copenhagen, Denmark

Prof Jan Seghers, PhD, Department of Movement Sciences, KU Leuven, Leuven, Belgium

Prof Sylvia Titze, PhD, Institute of Human Movement Science, Sport and Health, University of Graz, Graz, Austria

A/Prof Aurélie Van Hoye, PhD, Faculty of Sport Sciences, Université de Lorraine, Lorraine, France

Réka Veress, National School, University and Leisure Sport Federation, Budapest, Hungary

A/Prof Danijel Jurakić, PhD,* Faculty of Kinesiology, University of Zagreb, Zagreb, Croatia

This textbook was written and published as part of the "Creating Mechanisms for Continuous Implementation of the Sports Club for Health Guidelines in the European Union" ('SCforH 2020-22') project, funded by the Erasmus+ Collaborative Partnerships grant (ref: 613434-EPP-1-2019-1-HR-SPO-SCP).

The textbook is based on the longstanding SCforH work and especially the former publications:

- Koski, P., Matarma, T., Pedisic, Z., Kokko, S., Lane, A., Hartmann, H., ... & Savola, J. (2017). Sports Club for Health (SCforH) – updated guidelines for health-enhancing sports activities in a club setting. Helsinki, FI: Finnish Olympic Committee.
- Kokko, S., Oja, P., Foster, C., Koski, P., Laalo-Häikiö, E.,
 & Savola, J. (2011). Sports Club for Health Guidelines for health-oriented sports activities in a club setting.
 Helsinki, FI: Finnish Sport for All Association.
- Kokko, S., Koski, P., Savola, J., Alen, M., & Oja, P. (2009).
 The guidelines for sports club for health (SCforH) programs. Helsinki, FI: The Association For International Sport for All (TAFISA); European network for the promotion of health-enhancing physical activity (HEPA Europe); Finnish Sport for All Association.

^{*} Corresponding authors. The two authors contributed equally to the textbook.

Copyright© 2021 by the authors and University of Zagreb Faculty of Kinesiology, in accordance with the the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International (CC BY-NC-ND 4.0) licence.

Publisher:

University of Zagreb Faculty of Kinesiology Horvaćanski zavoj 15 10000 Zagreb, Croatia E-mail: dekanat@kif.unizg.hr


Suggested citation:

Pedišić, Ž., Koski, P., Kokko, S., Oja, P., Savola, J., Lane, A., ... & Jurakić, D. (2021). Sports Club for Health (SCforH) Textbook. Zagreb, HR: University of Zagreb Faculty of Kinesiology.

Correspondence:

Prof Željko Pedišić, PhD zeljko.pedisic@vu.edu.au A/Prof Danijel Jurakić, PhD danijel.jurakic@unizg.kif.hr

The European Commission support for the production of this publication does not constitute endorsement of the contents which reflects the views only of the authors, and the Commission cannot be held responsible for any use which may be made of the information contained therein.



Contents

Introduction

8

Sports Club for Health movement: from an idea to a European-wide initiative

12

Guiding principles of the Sports Club for Health approach

16

Benefits of the Sports Club for Health approach

22

Physical activity recommendations

28

Health benefits of sport and physical activity

32

Application model for sports clubs and associations

36

References and further reading

43



Introduction

What is the Sports Club for Health approach?

Sports clubs and associations are suitable settings for health promotion. Sports Club for Health approach is a way to promote health in sports organisations¹ by offering high-quality, health-enhancing sports activities. The approach is defined by seven core principles that you will learn about later in this textbook. By adopting these principles, a sports organisation can ensure it effectively promotes health as part of its standard practice.

For whom is this textbook intended?

This textbook has been developed specifically for current and future stakeholders in the sports setting. These include:

- individuals who are involved in sports organisations, such as directors, elected trustees, paid officials, coaches, instructors, and members:
- policymakers and other people who promote sports, physical activity, and health;
- physical educators;
- students and teachers in higher education courses related to physical education, health promotion, sports, and exercise.

What will you learn?

By reading this textbook, you will learn:

- how the Sports Club for Health movement developed, as well as its current status in the European context;
- what defines the Sports Club for Health approach;
- the guiding principles of the Sports Club for Health approach;
- the benefits that sports organisations and their individual members can reap when they adopt the Sports Club for Health approach;
- physical activity recommendations for different age groups;
- the health benefits of sports and physical activity;
- and how to apply the Sports Club for Health approach within a sports organisation.

Main learning outcomes

Once you have read this textbook, you will have a thorough understanding of the Sports Club for Health approach and how to support its application in the sports setting. This knowledge will help you contribute to improving the success of sports organisations in promoting health. Improved health of the sports club members can lead to improvements in their sport performance, higher satisfaction with the club, and increased participation rates.

¹ In this textbook, we use the phrase "sports organisation(s)" to refer to both sports clubs and sports associations, except when we refer specifically to one or the other.

Directors, elected trustees, volunteers, and paid officials in sports clubs and organisations

Promoters of physical activity, sport and health

Sports coaches and instructors



Who should apply and promote the SCforH approach?

>

Policymakers in sports and health sectors

Physical educators



Sports club members

Sports Club for Health movement: from an idea to a European-wide initiative

The idea to develop the Sports Club for Health approach was conceived in Finland in 2008 and was soon adopted as a European initiative. A total of 38 institutions from 18 countries participated in the development of the Sports Club for Health approach in three projects that were funded by the European Union, representing an investment of more than one million euros. In these projects, an international team of experts in the sports and health promotion field developed the approach, receiving support from the Education, Audiovisual and Culture Executive Agency of the European Commission.

Several European umbrella sports organisations have supported the use of the approach, including the European Non-Governmental Sports Organisation (ENGSO), the European Federation for Company Sports (EFCS), the International Sport and Culture Association (ISCA), and The Association for International Sport for All (TAFISA). The Sports Club for Health Movement

has also been continuously supported by the European Network for the Promotion of Health-Enhancing Physical Activity (HEPA Europe).

The key elements of the Sports Club for Health approach have been summarised in a book of guidelines recognised by the Council of the European Union, European Commission, and World Health Organization. Various Sports Club for Health initiatives have been implemented in 17 percent of the national sports associations in Europe, which is a good indication of their popularity. Currently, the Sports Club for Health movement is the largest European initiative for the promotion of health in the sports setting.

Sports Club for Health

The largest European initiative for the promotion of health in the sports setting

Funded by European Commission with

>1M Euro

Conceived in Finland

Focused on increasing the availability and quality of health-enhancing sports activities

Developed by experts from 38 institutions in 18 countries Made in



Summarised in a book of guidelines



Guiding principles of the Sports Club for Health approach

The primary aim of applying the Sports Club for Health approach is to improve the availability and quality of health-enhancing sports activities. People engage in sports activities for various reasons. In a recent European survey (Special Eurobarometer 472), 54% of the adult participants stated that their main reason for engaging in sports and physical activity is to improve their health. They also cited other reasons, such as to improve their fitness and physical performance, relax, and have fun. Achieving good health is not only the leading reason that people participate in sports and physical activity, but also a desirable goal for the sport community and society as a whole.

By adopting the Sports Club for Health approach, sports organisations can recognise the potential of their sports to improve health and organise and provide health-enhancing sports activities in their sports club settings. The approach can be used in sports clubs of any kind, regardless of the aims of the club, the sports disciplines offered, the club's status (voluntary or professional), size (small or large), or the age groups included in its membership.

What does using the Sports Club for Health approach really mean? Seven guiding principles define this approach:

- 1. The sports organisation promotes health-enhancing sports activities;
- 2. The activities are based on evidence-based practices that are well established:
- The activities are designed and delivered by competent and qualified personnel;
- 4. The sports organisation promotes sports disciplines that are part of its standard programme;
- The activities do not pose substantial health and safety risks;
- 6. The activities take place in a 'healthy' environment; and
- 7. There is a commitment to creating an enjoyable motivational and social climate.

The approach involves offering and promoting health-enhancing sports activities. By definition, health-enhancing sports ac-

tivities are all sports activities that produce health benefits while presenting no substantial health and safety risks. These activities are commonly aerobic-type activities of moderate-to-vigorous intensity, muscle-strengthening activities involving major muscle groups, or activities that are done with the aim to prevent falls and improve balance. By adhering to this principle, you will ensure that the activities offered at a sports club will help the participants meet the physical activity recommendations.

The approach also involves selecting and designing initiatives grounded in evidence-based practices that are well established and that have been commonly described in the professional and scientific literature. This process will ensure the effectiveness of the initiatives, while minimising potential health risks to the participants. Novel, continually emerging sports and exercise practices, which are often developed simply to increase revenue, should be scrutinised before they are considered as healthy, safe, and effective.

Sports Club for Health initiatives are carried out by competent personnel with adequate qualifications. The involved personnel must have adequate skills, knowledge, education, and experience, in order to ensure that the initiatives will be carried out using the best practices. The required education level is usually defined in national policies related to sports, physical education, and physical activity.

The approach involves promoting sports that are part of the club's standard programme. For example, this means that it can be used to promote volleyball in a volleyball club, tennis in a tennis club, and gymnastics in a gymnastics club. Adhering to this principle will ensure that the Sports Club for Health initiative efficiently uses the sports organisation's existing resources, such as facilities, equipment, marketing channels, and personnel. Such targeted sports promotion also ensures that carrying out


the initiative does not infringe on activities that are offered by other local sports or fitness organisations.

The participation in Sports Club for Health initiatives does not pose substantial health and safety risks. Those applying the approach should use evidence-based strategies to minimise the risk of any adverse physical, mental, or social health outcome. In sports clubs, it is essential to ensure adequate environmental conditions and to use appropriate facilities and equipment, for safety reasons. Hygienic, sanitary, and safety norms are usually described in the health and safety regulations of the country or municipality in which the sports club is located.

To promote a healthy lifestyle, the Sports Club for Health initiatives are carried out in a 'healthy' environment. For example, participants should not be exposed to advertisements for alcohol, 'unhealthy' food and beverages, performance-enhancing substances, tobacco, or gambling. Exposure to such 'unhealthy' marketing campaigns at sports clubs and events may have negative impacts on the health intentions, attitudes, and behaviour of participants.

The approach involves creating an enjoyable, engaging, and empowering motivational and social climate. This is a crucial point, as it ensures quality motivation and positive social experiences for participants, which will reduce dropout rates and improve the chances that they will make a long-term commitment to the sports organisation.

By adhering to and promoting these seven principles, you will ensure that the Sports Club for Health approach is applied optimally within your organisation. In practice, this approach can be applied as an overall philosophy, guiding how the sports organisation works as a whole, or within an individual project or programme carried out in the sports organisation.







It is based on well-established evidence-based practices



Uses qualified and competent personnel



Promotes sports that are part of the club's standard programme



Does not pose substantial health and safety risks



Takes place in a 'healthy' environment



Involves a commitment to creating an enjoyable social and motivational climate



Benefits of the Sports Club for Health approach

By applying the Sports Club for Health approach correctly, a sports organisation as a whole will reap multiple benefits. Some of these benefits are reaped by the individual members, while others are reaped by the sports organisation itself.

The key benefits for individual members include an increased motivation to participate in sports, an increased level of health-enhancing physical activity, support in maintaining a healthy lifestyle, a lower risk of chronic disease, better mental health, improved social well-being, better socialisation (particularly of children and youth), and a reduced risk of loneliness and falls (particularly among seniors).

By adopting the Sports Club for Health approach, a sport organisation can differentiate itself from other providers of fitness and sports programmes and, in that way, gain a significant marketing advantage. Organisations that offer broader sports club programmes, which are not necessarily directed toward achieving top results in competitions, will attract wider audiences, provide opportunities for people in all age groups to join the club, and increase participation rates.

Qualified and competent personnel who work together to create an enjoyable social environment that empowers, engages, and motivates members will improve their satisfaction and reduce drop-out rates. Promoting the good health of sports club members will encourage their long-term participation in sports and further reduce drop-out rates. Maintaining good health will enable athletes to achieve high levels of sport performance over longer periods of time, which will benefit both the individual members and the sport organisation as a whole.

Furthermore, applying the Sports Club for Health approach can reveal new opportunities to form partnerships with policymakers, researchers, and practitioners in the health sector. Due to the fact that the Sports Club for Health movement is the largest European initiative for the promotion of health in the sports setting, the sports organisation will become eligible for a wider range of funding opportunities. Finally, adopting the Sports Club for Health approach will strengthen the role of the sport organisation within the local community.

Increased motivation to participate in sports

Improved mental and social well-being

Increased level of health-enhancing physical activity

Healthier lifestyle

Reduced risk of chronic disease

Benefits of applying the SCforH approach

FOR INDIVIDUALS

Better socialisation of children and adolescents

Prevention of falls and loneliness among seniors

SCEH

Increased participation rates

Reduced dropout rates

Greater club member satisfaction

Broader range of activities attract wider audience and new members

Benefits of applying the SCforH approach

FOR SPORTS CLUBS AND ASSOCIATIONS

Healthier athletes perform better in sports

Provides
opportunities
for targeting
members
of all age groups

Stronger role of the club in its community



Physical activity recommendations

To apply the Sports Club for Health approach effectively, it is important to understand which types of sports activities are considered as 'health-enhancing' and how much physical activity is recommended to achieve health benefits. For this reason, herein we have summarised the current physical activity guidelines developed by the World Health Organization.


Before we present these guidelines, it is helpful to define some commonly used terms in this context. Any physical activity including any sports activity - can be classified according to its intensity. Vigorous-intensity physical activity requires heavy physical exertion and greatly increases breathing rate. Moderate-intensity physical activity requires moderate physical effort and results in breathing rates that are somewhat higher than normal. Physical activities can also be classified according to their type. Aerobic physical activities, also known as 'cardio' activities, are typically performed in a rhythmic manner over a sustained period of time and involve large muscle groups. Muscle-strengthening activities are designed primarily to increase the strength, mass, power, and endurance of skeletal muscles. Bone-strengthening activities produce tension force or impact on the bones, which leads to an increase in bone strength and density. Such a force is usually generated by the impact against the ground.

The World Health Organization recommends that children and adolescents engage in (on average) at least 60 minutes of moderate-to-vigorous physical activity per day, most of which should be aerobic. Muscle- and bone-strengthening activities and vigorous aerobic activities should be performed at least three days a week.

Throughout the week, both younger and older adults should engage in at least 150 minutes of moderate-intensity aerobic activity or 75 minutes of vigorous-intensity aerobic activity or an equivalent combination of both. They should also perform muscle-strengthening activities, involving major muscle groups, on at least two days per week. Additionally, older adults should perform activities that are primarily designed to improve their balance on at least three days per week.

The World Health Organization suggests that it is better for members of all age groups to do at least some physical activity than to not engage in any physical activity at all.

Physical activity recommendations



Health benefits of sport and physical activity

To understand the health benefits of adopting the Sports Club for Health approach and to recognise the potential of a specific sport to improve health, it is necessary to be aware of the health benefits of sports and physical activity in general. The World Health Organization defines health as a state of complete well-being (including its physical, mental, and social components), and not just as the absence of infirmity or disease.

The five major chronic diseases, which are cardiovascular disease, cancer, diabetes, chronic respiratory diseases, and mental disorders, account for more than 85% of all deaths in Europe. Insufficient physical activity is one of the leading risk factors for such diseases, and it is responsible for approximately one million deaths each year in Europe or about 10% of all deaths

People who engage in sufficient physical activity have a significantly reduced risk of adverse physical health outcomes. For example, studies show that engaging in sufficient physical activity reduces the risk of heart disease by 20%, type 2 diabetes by 31%, colon cancer by 19%, breast cancer by 13%, and


asthma by 12%. Physical activity also helps prevent high blood pressure, obesity, and high cholesterol and improves physical fitness and bone health.

People who engage in sufficient physical activity also have a significantly reduced risk of experiencing adverse mental health outcomes. For example, studies show that the risk of depression can be reduced by 17%, anxiety by 13%, dementia by 14%, and cognitive decline by 35% by engaging in sufficient physical activity. Physical activity also helps improve self-esteem, body image, sleep quality, the ability to cope with stress, mood, and overall life satisfaction.

Engaging in physical activity also has a range of positive effects on social aspects of well-being. For example, it reduces the risk of isolation, alienation, and loneliness and may improve academic achievement, socialisation, and human relations.

Sports Club for Health initiatives can be designed to place a focus on improving any or all of the above-mentioned components of health.

Benefits of sports activity



Application model for sports clubs and associations

To apply the Sports Club for Health approach in your sports organisation, we recommend using a four-stage application model.

In the first stage, we recommend assessing the current goals and conditions of the sports organisation related to the Sports Club for Health approach. For example, you can identify the current development goals of the sports organisation, how it addresses health in its mission statement and in existing programmes, whether any approach similar to Sports Club for Health has already been applied, and what resources are available for the implementation of health-promoting initiatives.

Once the specific context of the sports organisation has been taken into account, we recommend you to select the most appropriate pathway for the application of the Sports Club for Health approach. If your sports organisation already operates in accordance with the Sports Club for Health guiding

principles, you may choose to simply raise the officials' and members' awareness of this fact by labelling and promoting work that has already been done as a "Sports Club for Health" initiative. Alternatively, you can attempt to incorporate Sports Club for Health principles in your existing work. For example, you can improve health and safety features of your facilities, introduce new exercise methods suitable for people of different ages, or select a new target group based on the Sports Club for Health guiding principles. Another option is to develop an overarching strategy or action plan that guides and enables the broad application of the Sports Club for Health approach in the sports organisation. Finally, you can introduce a completely new, specific Sports Club for Health initiative or programme in your sports organisation.

In the second stage, it is important to:

- select the population group for which the initiative will be intended:
- identify the potential of your sport to produce health benefits for that target group;
- explore the club's internal and external (i.e. partnerships) resources by examining the personnel's expertise and the club's finances;
- establish a detailed time plan to achieve specific, quantifiable aims; and
- define operating procedures and specific actions that need to be taken.

In the third stage, you should start applying the Sports Club for Health approach, following the plan you developed in the second stage. In this stage, we recommend that you inform both members of the sports organisation and partners and associates outside the sports organisation (e.g. financial supporters and local government representatives) about the forthcoming actions. At this stage, it is also important to ensure that all personnel involved in the process of applying the approach have the required competencies. For example, if you initiate a new Sports Club for Health programme, the instructors should have adequate skills, knowledge, education, and experience to deliver this programme effectively. Once the initiative has begun, it may be necessary to make certain improvements or adjustments to the planned activities relatively quickly; therefore, you should also regularly

monitor whether the activities are being carried out as specified in the plan.

In the final stage, you need to evaluate what has been accomplished, by reviewing the records made during the process of applying the approach and examining the achieved outcomes. By performing such an evaluation, you can plan and carry out other Sports Club for Health initiatives in future more efficiently. Finally, we recommend that you share your success story with people within and outside the sports organisation. This enables you to acknowledge the people and institutions who contributed to the success of the initiative. Sharing success stories can also help you further promote your sports organisation and strengthen its position in the local community.

Application model



1. Assess the present conditions and goals

 Identify the support and possibilities for SCforH intiative within the club and in its environment



2. Plan

- Define the target group
- Identify the health potential
 - Explore the know-how and material support
 - Agree upon the aims and strategy

4. Follow-up

- Keep records and evaluate
- Share your success
- Go back to the former stage if needed

3. Implement

- Inform internally and externally
- Secure competent and supportive personnel
 - Monitor the feasibility





References and further reading

Allender, S., Cowburn, G. & Foster, C. (2006). Understanding participation in sport and physical activity among children and adults: a review of qualitative studies. Health Education Research, 21(6), 826-835.

American College of Sports Medicine (ACSM) (2012). ACSM's health/fitness facility standards and guidelines – 4th edition. Illinois, USA: Human Kinetics.

Barbeta, C. J. D. O., Krahenbühl, T., Gonçalves, E. M., & Guerra-Júnior, G. (2019). Effects of combat sports on bone mass: systematic review. *Revista Brasileira de Medicina do Esporte*, 25(3), 240-244.

Borgers, J., Seghers, J., & Scheerder, J. (2016). Dropping out from clubs, dropping in to sport light?: Organizational settings for youth sports participation. In: K. Green & A. Smith (Eds). Routledge handbook of youth sport (pp. 158-174). London, UK: Routledge.

Bullock, G. S., Uhan, J., Harriss, E. K., Arden, N. K., & Filbay, S. R. (2020). The relationship between baseball participation and health: a systematic scoping review. *Journal of Orthopaedic & Sports Physical Therapy*, *50*(2), 55-66.

Burtscher, M., Federolf, P. A., Nachbauer, W., & Kopp, M. (2018). Potential health benefits from downhill skiing. *Frontiers in Physiology*, *9*(1924), 1-12.

Casey, M. M., Payne, W. R., Brown, S. J., & Eime, R. M. (2009). Engaging community sport and recreation organisations in population health interventions: factors affecting the formation, implementation, and institutionalisation of partnerships efforts. *Annals of Leisure Research*, 12(2), 129-147.

Casey, M. M., Payne, W. R., & Eime, R. M. (2012). Organisational readiness and capacity building strategies of sporting

organisations to promote health. *Sport Management Review, 15*(1), 109-124.

Casey, M. M., Payne, W. R., Eime, R. M., & Brown, S. J. (2009). Sustaining health promotion programs within sport and recreation organisations. *Journal of Science and Medicine in Sport*, 12(1), 113-118.

Castillo-Bellot, I., Mora-Gonzalez, J., Fradua, L., Ortega, F. B., & Gracia-Marco, L. (2019). Effects of recreational aoccer on health outcomes: a narrative review. *Journal of Science in Sport and Exercise*, 1(2), 142-150.

Council of the European Union.
Council recommendation on
promoting health-enhancing
physical activity across sectors;
Update 2013 November 25.
Brussels, BE: Council of the
European Union. Available from:
http://ec.europa.eu/sport/
library/news-documents/hepa_
en.pdf

Eime, R. M., Charity, M. J., Harvey, J. T., & Payne, W. R. (2015). Participation in sport and physical activity: associations with socio-economic status and geographical remoteness health behavior, health promotion and society. *BMC Public Health*, *15*(434), 1-12.

Eime, R. M., Harvey, J., & Charity, M. J. (2018). Girls' transition from participation in a modified sport

program to club sport competition - a study of longitudinal patterns and correlates. *BMC Public Health*, *18*(718), 1-7.

Eime, R. M., Harvey, J. T., & Charity, M. J. (2019). Sport drop-out during adolescence: is it real, or an artefact of sampling behaviour? *International Journal of Sport Policy and Politics*, 11(4), 715-726.

Eime, R. M., Harvey, J., & Charity, M. J. (2020). Sport participation settings: where and 'how' do Australians play sport? *BMC Public Health*, 20(1344), 1-9.

Eime, R. M., Harvey, J. T., Charity, M. J., Casey, M. M., Westerbeek, H., & Payne, W. R. (2016). Age profiles of sport participants. *BMC Sports Science, Medicine and Rehabilitation*, 8(6), 1-10.

Eime, R. M., Harvey, J., Charity, M. J., Casey, M., Westerbeek, H., & Payne, W. R. (2017). The relationship of sport participation to provision of sports facilities and socioeconomic status: a geographical analysis. *Australian and New Zealand Journal of Public Health*, 41(3), 248-255.

Eime, R. M., Harvey, J. T., Charity, M. J., & Payne, W. R. (2016). Population levels of sport participation: implications for sport policy. *BMC Public Health*, *16*(752), 1-8.

Eime, R. M., Harvey, J. T., Sawyer, N. A., Craike, M. J., Symons, C. M.,

Polman, R. C. J., & Payne, W. R. (2013). Understanding the contexts of adolescent female participation in sport and physical activity. *Research Quarterly for Exercise and Sport, 84*(2), 157-166.

Eime, R. M., Payne, W. R., & Harvey, J. T. (2008). Making sporting clubs healthy and welcoming environments: A strategy to increase participation. *Journal of Science and Medicine in Sport*, 11(2), 146-154.

Eime, R. M., Payne, W., & Harvey, J. T. (2009). Trends in organised sport membership: Impact on sustainability. *Journal of Science and Medicine in Sport*, 12(1), 123-129.

Eime, R.M., Young, J. A., Harvey, J. T., Charity, M. J. & Payne, W. R. (2013). A systematic review of the psychological and social benefits of participation in sport for adults: informing development of a conceptual model of health through sport. *International Journal of Behavioral Nutrition and Physical Activity*, 10(135), 1-14.

Eime, R. M., Young, J. A., Harvey, J. T., Charity, M. J. & Payne, W. R. (2013). A systematic review of the psychological and social benefits of participation in sport for children and adolescents: informing development of a conceptual model of health through sport. *International Journal of Behavioral Nutrition and*

Physical Activity, 10(98), 1-21.

Gates, A., & Cumming, I. (2017). The health & wellbeing benefits of swimming: individually, societally, economically, nationally. Loughborough, UK: Swim England Swimming and Health Commission.

Gavin, K. W., Lane, A., & Dowd, K. P. (2020). The contribution of Gaelic football participation to youth physical activity levels. *Journal of Sports Science and Medicine*, 19(4), 652-661.

Geidne, S., Kokko, S., Lane, A., Ooms, L., Vuillemin, A., Seghers, J., ... Van Hoye, A. (2019). Health promotion interventions in sports clubs: can we talk about a settingbased approach? A systematic mapping review. *Health Education* and *Behavior*, 46(4), 592-601.

Geidne, S., Quennerstedt, M., & Eriksson, C. (2013). The implementation process of alcohol policies in eight Swedish football clubs. *Health Education*, 113(3), 196-215.

Geidne, S., Quennerstedt, M., & Eriksson, C. (2013). The youth sports club as a health-promoting setting: an integrative review of research. *Scandinavian Journal of Public Health*, 41(3), 269-283.

Grøntved, A., Rasmussen, M. G., Blond, K., Østergaard, L., Andersen, Z. J., & Møller, N. C. (2019). Bicycling for transportation and recreation in cardiovascular disease prevention. *Current Cardiovascular Risk Reports*, 13(26), 1-8.

Hing, N., Vitartas, P., & Lamont, M. (2013). Gambling sponsorship of sport: an exploratory study of links with gambling attitudes and intentions. *International Gambling Studies*, 13(3), 281-301.

Jenkin, C. R., Eime, R. M., Westerbeek, H., O'Sullivan, G., & Van Uffelen, J. G. Z. (2017). Sport and ageing: a systematic review of the determinants and trends of participation in sport for older adults. *BMC Public Health*, 17(976), 1-20.

Johnson, S., Van Hoye, A., Donaldson, A., Lemonnier, F., Rostan, F., & Vuillemin, A. (2020). Building health-promoting sports clubs: a participative concept mapping approach. *Public Health*, 188, 8-17.

Johnson, S., Vuillemin, A., Geidne, S., Kokko, S., Epstein, J., & Van Hoye, A. (2020). Measuring health promotion in sports club settings: a modified Delphi study. *Health Education and Behavior*, *47*(1), 78-90.

Kelly, B., Baur, L. A., Bauman, A. E., King, L., Chapman, K., & Smith, B. J. (2011). "Food company sponsors are kind, generous and cool": (mis)conceptions of junior sports players. International Journal of Behavioral Nutrition and Physical Activity, 8(95), 1-7

Kokko, S. (2014). Sports clubs as settings for health promotion: fundamentals and an overview to research. *Scandinavian Journal of Public Health*, 42 (Suppl. 15), 60-65.

Kokko, S., Green, L. W., & Kannas, L. (2014). A review of settings-based health promotion with applications to sports clubs. *Health Promotion International*, 29(3), 494-509.

Kokko, S., Kannas, L., & Villberg, J. (2006). The health promoting sports club in Finland - A challenge for the settings-based approach. *Health Promotion International*, 21(3), 219-229.

Kokko, S., Kannas, L., & Villberg, J. (2009). Health promotion profile of youth sports clubs in Finland: club officials' and coaches' perceptions. *Health Promotion International*, 24(1), 26-35.

Kokko, S., Kannas, L., Villberg, J., & Ormshaw, M. (2011). Health promotion guidance activity of youth sports clubs. *Health Education*, 111(6), 452-463.

Kokko, S., Koski, P., Savola, J., Alen, M., Oja, P. (2009). The guidelines for sports club for health (SCforH) programs. Helsinki, FI: The Association For International Sport for All (TAFISA); European network for the promotion of health-enhancing physical activity (HEPA Europe); Finnish Sport for All Association.

Kokko, S., Martin, L., Geidne, S., Van Hoye, A., Lane, A., Meganck, J., ... Koski, P. (2019). Does sports club participation contribute to physical activity among children and adolescents? A comparison across six European countries. *Scandinavian Journal of Public Health*, 47(8), 851-858.

Kokko, S., Oja, P., Foster, C., Koski, P., Laalo-Häikiö, E., Savola, J. (2011). Sports Club for Health – Guidelines for health-oriented sports activities in a club setting. Helsinki, FI: Finnish Sport for All Association.

Kokko, S., Selänne, H., Alanko, L., Heinonen, O. J., Korpelainen, R., Savonen, K., ... Parkkari, J. (2015). Health promotion activities of sports clubs and coaches, and health and health behaviours in youth participating in sports clubs: the health promoting sports club study. *BMJ Open Sport and Exercise Medicine*, 1(e000034), 1-11.

Kokko, S., Villberg, J., & Kannas, L. (2015). Health promotion in sport coaching: coaches and young male athletes' evaluations on the health promotion activity of coaches. *International Journal of Sports Science and Coaching*, 10(2-3), 339-352.

Koski, P., Lehtonen, K., & Vehmas, H. (2018). Sports participation in Finland. In: K. Green, T. Sigurjónsson, & E. Å. Skille (Eds.). Sport in Scandinavia and the Nordic countries (pp. 40-62). London, UK: Routledge.

Koski, P., Matarma, T., Pedisic, Z., Kokko, S., Lane, A., Hartmann, H., ... Savola, J. (2017). Sports Club for Health (SCforH) – updated guidelines for health-enhancing sports activities in a club setting. Helsinki, FI: Finnish Olympic Committee.

Lane, A., Murphy, N., Donohoe, A., & Regan, C. (2017). Health promotion orientation of GAA sports clubs in Ireland. *Sport in Society*, 20(2), 235-243.

Lane, A., Murphy, N., Donohoe, A., & Regan, C. (2020). A healthy sports club initiative in action in Ireland. *Health Education Journal*, 79(6), 645-657.

Lavie, C. J., Lee, D. C., Sui, X., Arena, R., O'Keefe, J. H., Church, T. S., Milani, R. V., & Blair, S. N. (2015). Effects of running on chronic diseases and cardiovascular and all-cause mortality. *Mayo Clinic Proceedings*, 90(11), 1541-1552.

McDaniel, S. R., & Heald, G.R. (2000). Young consumers' responses to event sponsorship advertisements of unhealthy products: implications of schematriggered affect theory. *Sport Management Review*, *3*(2), 163-184.

Mathisen, F. K. S., Kokko, S., Tynjälä, J., Torsheim, T., & Wold, B. (2019). Leisure-time physical activity and participation in organized sports: changes from 1985 to 2014 in Finland and Norway. Scandinavian Journal of Medicine and Science in Sports, 29(8), 1232-1242.

Meganck, J., Scheerder, J., Thibaut, E., & Seghers, J. (2015). Youth sports clubs' potential as health-promoting setting: profiles, motives and barriers. *Health Education Journal*, 74(5), 531-543.

Meganck, J., Seghers, J., & Scheerder, J. (2017). Exploring strategies to improve the health promotion orientation of Flemish sports clubs. *Health Promotion International*, 32(4), 681-690.

Murray, A. D., Daines, L., Archibald, D., Hawkes, R. A., Schiphorst, C., Kelly, P., Grant, L., & Mutrie, N. (2017). The relationships between golf and health: a scoping review. *British Journal of Sports Medicine*, *51*(1), 12-19.

O'Driscoll, T., Banting, L. K., Borkoles, E., Eime, R., & Polman, R. (2014). A systematic literature review of sport and physical activity participation in culturally and linguistically diverse (CALD) migrant populations. *Journal of Immigrant and Minority Health*, 16(3), 515-530.

Oja, P., Kelly, P., Pedisic, Z., Titze, S., Bauman, A., Foster, C., ... Stamatakis, E. (2017). Associations of specific types of sports and exercise with all-cause and cardiovascular-disease mortality: a cohort study of 80 306 British adults. *British Journal of Sports Medicine*, *51*(10), 812-817.

Oja, P., Titze, S., Bauman, A., de Geus, B., Krenn, P., Reger-Nash, B., & Kohlberger, T. (2011). Health benefits of cycling: a systematic review. *Scandinavian Journal of Medicine and Science in Sports*, *21*(4), 496-509.

Oja, P., Titze, S., Kokko, S., Kujala, U. M., Heinonen, A., Kelly, P., Koski, P., & Foster, C. (2015). Health benefits of different sport disciplines for adults: systematic review of observational and intervention studies with meta-analysis. *British Journal of Sports Medicine*, 49(7), 434-440.

Pedisic, Z., Shrestha, N., Kovalchik, S., Stamatakis, E., Liangruenrom, N., Grgic, J., Titze, S., Biddle, S. J., Bauman, A. E., & Oja, P. (2020). Is running associated with a lower risk of all-cause, cardiovascular and cancer mortality, and is the more the better? A systematic review and meta-analysis. *British Journal of Sports Medicine*, *54*(15), 898-905.

Robertson, J., Eime, R., & Westerbeek, H. (2019). Community sports clubs: Are they only about playing sport, or do they have broader health promotion and social responsibilities? *Annals of Leisure Research*, 22(2), 215-232.

St George, A., Kite, J., Hector, D., Pedisic, Z., Bellew, B., & Bauman,

A. (2014). Beyond overweight and obesity – HEAL targets for overweight and obesity and the six HEAL objectives: a rapid review of the evidence. Sydney, AU: NSW Ministry of Health.

Titze, S., Merom, D., Rissel, C., & Bauman, A. (2014). Epidemiology of cycling for exercise, recreation or sport in Australia and its contribution to health-enhancing physical activity. *Journal of Science and Medicine in Sport*, 17(5), 485-490.

Titze, S., Schebesch-Ruf, W., Lackinger, C., Großschädl, L., Strehn, A., Dorner, T. E., & Niebauer, J. (2019). Short-and long-term effectiveness of a physical activity intervention with coordinated action between the health care sector and local sports clubs. a pragmatic trial in Austrian adults. International Journal of Environmental Research and Public Health, 16(2362), 1-11.

TNS Opinion & Social. (2017). Special Eurobarometer 472: Sport and physical activity. Brussels, BE: European Commission.

Van Hoye, A., Heuzé, J. P., Meganck, J., Seghers, J., & Sarrazin, P. (2018). Coaches' and players' perceptions of health promotion activities in sport clubs. *Health Education Journal*, 77(2), 169-178.

Van Hoye, A., Heuzé, J. P., Van den Broucke, S., & Sarrazin, P. (2016).

Are coaches' health promotion activities beneficial for sport participants? A multilevel analysis. *Journal of Science and Medicine in Sport, 19*(12), 1028-1032.

Van Hoye, A., Johnson, S., Geidne, S., & Vuillemin, A. (2020). Relationship between coaches' health promotion activities, sports experience and health among adults. *Health Education Journal*, 79(7), 763-774.

Van Hoye, A., Sarrazin, P., Heuzé, J. P., & Kokko, S. (2015). Coaches' perceptions of French sports clubs: health-promotion activities, aims and coach motivation. *Health Education Journal*, 74(2), 231-243.

Vandermeerschen, H., Meganck, J., Seghers, J., Vos, S., & Scheerder, J. (2017). Sports, poverty and the role of the voluntary sector. Exploring and explaining nonprofit sports clubs' efforts to facilitate participation of socially disadvantaged people. *Voluntas*, 28(1), 307-334.

World Health Organization (WHO). (2020). WHO guidelines on physical activity and sedentary behaviour. Geneva. Switzerland: WHO.

